

Z201	Trailer - 40 x 13'6
9000	>40x8 Non-ISO container
9200	>40x8.5 Non-ISO container
6200	20 Chassis
2951	20x4 Open Top Remv Top Members
2650	20x4.3 Open Top Container
2651	20x4.3 Open Top Remv Top Members
2026	20x8 Automobile Carrier
20S1	20x8 Automobile Carrier
2080	20x8 Dry Bulk
20BU	20x8 Dry Bulk, Non-pressurized
20B1	20x8 Dry Bulk, Non-pressurized, Airtight
20B0	20x8 Dry Bulk, Non-pressurized, Closed
20BK	20x8 Dry Bulk, Pressurized
20B3	20x8 Dry Bulk, Pressurized, Horz Disch 1.5 Bar
20B4	20x8 Dry Bulk, Pressurized, Horz Disch 2.65 Bar
20B5	20x8 Dry Bulk, Pressurized, Tipping Disch 1.5 Bar
20B6	20x8 Dry Bulk, Pressurized, Tipping Disch 2.65 Bar
20GP	20x8 General Purpose, Non-Vented
2022	20x8 Heated
2025	20x8 Livestock Carrier
20S0	20x8 Livestock Carrier
20V4	20x8 Mechanical Ventilated, External
2015	20x8 Mechanical Ventilated, Internal
20V2	20x8 Mechanical Ventilated, Internal
2003	20x8 Non-Vented 1 Open, plus Roof
2001	20x8 Non-Vented Full Open Both Sides
20G2	20x8 Non-Vented Full Open Both Sides
2004	20x8 Non-Vented Open Roof, 1/Both Sides
2002	20x8 Non-Vented Part Open 1/Both Sides
20G3	20x8 Non-Vented Part Open 1/Both Sides
2000	20x8 Non-Vented, Open 1/Both Ends
20G0	20x8 Non-Vented, Open 1/Both Ends
20UT	20x8 Open Top Container
2050	20x8 Open Top Container, Open 1/Both
20U0	20x8 Open Top Container, Open 1/Both
2051	20x8 Open Top Remv Top Members
20U1	20x8 Open Top Remv Top Members
2052	20x8 Open Top, Open 1/Both Sides
20U2	20x8 Open Top, Open 1/Both Sides
20U4	20x8 OT, Open 1 Side, Partial Open 1 Side
2053	20x8 OT, Open 1/Both Sides, Remv Top members
20U3	20x8 OT, Open 1/Both Sides, Remv Top members
2010	20x8 Passive Vents
20G1	20x8 Passive Vents
2011	20x8 Passive Vents, Non-Mechanical
2060	20x8 Platform
20P0	20x8 Platform
2066	20x8 Platform Comp Open Side w/Open top
2065	20x8 Platform Comp Open Side w/Roof
2067	20x8 Platform Comp Open Top, Ends (skeletal)
20P5	20x8 Platform Comp Open Top, Ends (skeletal)
20PC	20x8 Platform, Collapsible
2064	20x8 Platform, Comp Free Standing Posts
20P4	20x8 Platform, Comp Free Standing Posts
2061	20x8 Platform, Complete Fixed Ends
20P1	20x8 Platform, Complete Fixed Ends

2063	20x8 Platform, Complete Folding Ends
20P3	20x8 Platform, Complete Folding Ends
20PS	20x8 Platform, Complete Superstructure
2062	20x8 Platform, Fixed Free Standing Posts
20P2	20x8 Platform, Fixed Free Standing Posts
20PF	20x8 Platform, Fixed Structure
20PL	20x8 Platform, Incomplete Structure
2077	20x8 Tank Dangerous Gases 10.5 Bar
4177	20x8 Tank Dangerous Gases 10.5 Bar
2078	20x8 Tank Dangerous Gases 22.0 Bar
4178	20x8 Tank Dangerous Gases 22.0 Bar
2073	20x8 Tank Dangerous Liquid Min. 1.5 Bar
20T3	20x8 Tank Dangerous Liquid Min. 1.5 Bar
40T3	20x8 Tank Dangerous Liquid Min. 1.5 Bar
4173	20x8 Tank Dangerous Liquid Min. 1.5 Bar
2074	20x8 Tank Dangerous Liquid Min. 2.65 Bar
20T4	20x8 Tank Dangerous Liquid Min. 2.65 Bar
40T4	20x8 Tank Dangerous Liquid Min. 2.65 Bar
4174	20x8 Tank Dangerous Liquid Min. 2.65 Bar
2075	20x8 Tank Dangerous Liquid Min. 4.0 Bar
20T5	20x8 Tank Dangerous Liquid Min. 4.0 Bar
40T5	20x8 Tank Dangerous Liquid Min. 4.0 Bar
4175	20x8 Tank Dangerous Liquid Min. 4.0 Bar
2076	20x8 Tank Dangerous Liquid Min. 6.0 Bar
20T6	20x8 Tank Dangerous Liquid Min. 6.0 Bar
40T6	20x8 Tank Dangerous Liquid Min. 6.0 Bar
4176	20x8 Tank Dangerous Liquid Min. 6.0 Bar
20TD	20x8 Tank for Dangerous Liquids
40TD	20x8 Tank for Dangerous Liquids
20TG	20x8 Tank for Gases
40TG	20x8 Tank for Gases
20TN	20x8 Tank for Non-Dangerous Liquids
40TN	20x8 Tank for Non-Dangerous Liquids
2070	20x8 Tank Non-Danger Liquid Min. 0.45 Bar
20T0	20x8 Tank Non-Danger Liquid Min. 0.45 Bar
40T0	20x8 Tank Non-Danger Liquid Min. 0.45 Bar
4170	20x8 Tank Non-Danger Liquid Min. 0.45 Bar
20T1	20x8 Tank Non-Danger Liquid Min. 1.5 Bar
40T1	20x8 Tank Non-Danger Liquid Min. 1.5 Bar
4171	20x8 Tank Non-Danger Liquid Min. 1.5 Bar
2072	20x8 Tank Non-Danger Liquid Min. 2.65 Bar
20T2	20x8 Tank Non-Danger Liquid Min. 2.65 Bar
40T2	20x8 Tank Non-Danger Liquid Min. 2.65 Bar
4172	20x8 Tank Non-Danger Liquid Min. 2.65 Bar
2071	20x8 Tank Non-Danger Liquid Min. 1.5 Bar
20T7	20x8 Tank, Gases, Min. 9.1 Bar
20T8	20x8 Tank, Gases, Min. 9.1 Bar
40T7	20x8 Tank, Gases, Min. 9.1 Bar
40T8	20x8 Tank, Gases, Min. 9.1 Bar
20HI	20x8 Thermal Insulated
2020	20x8 Thermal Insulated, K=0.4 W(m.K)
20H5	20x8 Thermal Insulated, K=0.4 W(m.K)
2021	20x8 Thermal Insulated, K=0.7 W(m.K)
20H6	20x8 Thermal Insulated, K=0.7 W(m.K)
2040	20x8 Thermal Porthole Remv Ext Appl
2042	20x8 Thermal Porthole Remv Ext Appl
20H0	20x8 Thermal Porthole Remv Ext Appl, K=0.4 W(m.K)

20H2	20x8 Thermal Porthole Remv Ext Appl, K=0.7 W(m.K)
2041	20x8 Thermal Porthole Remv Int Appl
20H1	20x8 Thermal Porthole Remv Int Appl
2030	20x8 Thermal Refrigerated
20RE	20x8 Thermal Refrigerated
2032	20x8 Thermal Refrigerated & Heated
20RT	20x8 Thermal Refrigerated & Heated
2031	20x8 Thermal, Mechanically Refrigerated
20R0	20x8 Thermal, Mechanically Refrigerated
20R1	20x8 Thermal, Mechanically Refrigerated & Heated
20RS	20x8 Thermal, Self-Powered
20R3	20x8 Thermal, Self-Powered, Mech. Refrig. & Heated
20R2	20x8 Thermal, Self-Powered, Mech. Refrigerated
2013	20x8 Ventilated, Upper and Lower Vents
20V0	20x8 Ventilated, Upper and Lower Vents
2CG1	20x8.2x8.5 Pallet Wide with Vents
2226	20x8.5 Automobile Carrier
22S1	20x8.5 Automobile Carrier
2280	20x8.5 Dry Bulk
22BU	20x8.5 Dry Bulk, Non-pressurized
22B1	20x8.5 Dry Bulk, Non-pressurized, Airtight
22B0	20x8.5 Dry Bulk, Non-pressurized, Closed
22BK	20x8.5 Dry Bulk, Pressurized
22B3	20x8.5 Dry Bulk, Pressurized, Horz Disch 1.5 Bar
22B4	20x8.5 Dry Bulk, Pressurized, Horz Disch 2.65 Bar
22B5	20x8.5 Dry Bulk, Pressurized, Tipping Disch 1.5 Bar
22B6	20x8.5 Dry Bulk, Pressurized, Tipping Disch 2.65 Bar
22GP	20x8.5 General Purpose, Non-Vented
2222	20x8.5 Heated
2225	20x8.5 Livestock Carrier
22S0	20x8.5 Livestock Carrier
22V4	20x8.5 Mechanical Ventilated, External
2215	20x8.5 Mechanical Ventilated, Internal
22V2	20x8.5 Mechanical Ventilated, Internal
2203	20x8.5 Non-Vented 1 Open, plus Roof
2201	20x8.5 Non-Vented Full Open Both Sides
22G2	20x8.5 Non-Vented Full Open Both Sides
2204	20x8.5 Non-Vented Open Roof, 1/Both Sides
2202	20x8.5 Non-Vented Part Open 1/Both Sides
22G3	20x8.5 Non-Vented Part Open 1/Both Sides
2200	20x8.5 Non-Vented, Open 1/Both Ends
22G0	20x8.5 Non-Vented, Open 1/Both Ends
22UT	20x8.5 Open Top Container
2250	20x8.5 Open Top Container, Open 1/Both
22U0	20x8.5 Open Top Container, Open 1/Both
2251	20x8.5 Open Top Remv Top Members
22U1	20x8.5 Open Top Remv Top Members
2252	20x8.5 Open Top, Open 1/Both Sides
22U2	20x8.5 Open Top, Open 1/Both Sides
22U4	20x8.5 OT, Open 1 Side, Partial Open 1 Side
2253	20x8.5 OT, Open 1/Both Sides, Remv Top members
22U3	20x8.5 OT, Open 1/Both Sides, Remv Top members
2210	20x8.5 Passive Vents
22G1	20x8.5 Passive Vents
2211	20x8.5 Passive Vents, Non-Mechanical
2260	20x8.5 Platform
22P0	20x8.5 Platform

2960 20x8.5 Platform  
2266 20x8.5 Platform Comp Open Side w/Open top  
2265 20x8.5 Platform Comp Open Side w/Roof  
2267 20x8.5 Platform Comp Open Top, Ends (skeletal)  
22P5 20x8.5 Platform Comp Open Top, Ends (skeletal)  
22PC 20x8.5 Platform, Collapsible  
2264 20x8.5 Platform, Comp Free Standing Posts  
22P4 20x8.5 Platform, Comp Free Standing Posts  
2261 20x8.5 Platform, Complete Fixed Ends  
22P1 20x8.5 Platform, Complete Fixed Ends  
2263 20x8.5 Platform, Complete Folding Ends  
22P3 20x8.5 Platform, Complete Folding Ends  
22PS 20x8.5 Platform, Complete Superstructure  
2262 20x8.5 Platform, Fixed Free Standing Posts  
22P2 20x8.5 Platform, Fixed Free Standing Posts  
22PF 20x8.5 Platform, Fixed Structure  
22PL 20x8.5 Platform, Incomplete Structure  
2277 20x8.5 Tank Dangerous Gases 10.5 Bar  
2278 20x8.5 Tank Dangerous Gases 22.0 Bar  
2273 20x8.5 Tank Dangerous Liquid Min. 1.5 Bar  
22T3 20x8.5 Tank Dangerous Liquid Min. 1.5 Bar  
2274 20x8.5 Tank Dangerous Liquid Min. 2.65 Bar  
22T4 20x8.5 Tank Dangerous Liquid Min. 2.65 Bar  
2275 20x8.5 Tank Dangerous Liquid Min. 4.0 Bar  
22T5 20x8.5 Tank Dangerous Liquid Min. 4.0 Bar  
2276 20x8.5 Tank Dangerous Liquid Min. 6.0 Bar  
22T6 20x8.5 Tank Dangerous Liquid Min. 6.0 Bar  
22TD 20x8.5 Tank for Dangerous Liquids  
22TG 20x8.5 Tank for Gases  
22TN 20x8.5 Tank for Non-Dangerous Liquids  
2270 20x8.5 Tank Non-Danger Liquid Min. 0.45 Bar  
22T0 20x8.5 Tank Non-Danger Liquid Min. 0.45 Bar  
22T1 20x8.5 Tank Non-Danger Liquid Min. 1.5 Bar  
2272 20x8.5 Tank Non-Danger Liquid Min. 2.65 Bar  
22T2 20x8.5 Tank Non-Danger Liquid Min. 2.65 Bar  
2271 20x8.5 Tank Non-Danger Liquid Min. 1.5 Bar  
22T7 20x8.5 Tank, Gases, Min. 9.1 Bar  
22T8 20x8.5 Tank, Gases, Min. 9.1 Bar  
22HI 20x8.5 Thermal Insulated  
2220 20x8.5 Thermal Insulated, K=0.4 W(m.K)  
22H5 20x8.5 Thermal Insulated, K=0.4 W(m.K)  
2221 20x8.5 Thermal Insulated, K=0.7 W(m.K)  
22H6 20x8.5 Thermal Insulated, K=0.7 W(m.K)  
2240 20x8.5 Thermal Porthole Remv Ext Appl  
2242 20x8.5 Thermal Porthole Remv Ext Appl  
22H0 20x8.5 Thermal Porthole Remv Ext Appl, K=0.4 W(m.K)  
22H2 20x8.5 Thermal Porthole Remv Ext Appl, K=0.7 W(m.K)  
2241 20x8.5 Thermal Porthole Remv Int Appl  
22H1 20x8.5 Thermal Porthole Remv Int Appl  
2230 20x8.5 Thermal Refrigerated  
22RE 20x8.5 Thermal Refrigerated  
2232 20x8.5 Thermal Refrigerated & Heated  
22RT 20x8.5 Thermal Refrigerated & Heated  
2231 20x8.5 Thermal, Mechanically Refrigerated  
22R0 20x8.5 Thermal, Mechanically Refrigerated  
22R1 20x8.5 Thermal, Mechanically Refrigerated & Heated  
22RS 20x8.5 Thermal, Self-Powered

22R3	20x8.5 Thermal, Self-Powered, Mech. Refrig. & Heated
22R2	20x8.5 Thermal, Self-Powered, Mech. Refrigerated
2213	20x8.5 Ventilated, Upper and Lower Vents
22V0	20x8.5 Ventilated, Upper and Lower Vents
2410	20x8x9.5 High Cube with Vents
25G1	20x8x9.5 High Cube with Vents
6400	40 Chassis
4951	40x4 Open Top Removable Top Members
49U1	40x4 Open Top Removable Top Members
4750	40x4.3 Open Top Containers
48U0	40x4.3 Open Top Containers
4751	40x4.3 Open Top Removable Top Members
48U1	40x4.3 Open Top Removable Top Members
40S1	40x8 Automobile Carrier
4126	40x8 Automobile Carrier
4180	40x8 Dry Bulk
40BU	40x8 Dry Bulk, Non-pressurized
40B1	40x8 Dry Bulk, Non-pressurized, Airtight
40B0	40x8 Dry Bulk, Non-pressurized, Closed
40BK	40x8 Dry Bulk, Pressurized
40B3	40x8 Dry Bulk, Pressurized, Horz Disch 1.5 Bar
40B4	40x8 Dry Bulk, Pressurized, Horz Disch 2.65 Bar
40B5	40x8 Dry Bulk, Pressurized, Tipping Disch 1.5 Bar
40B6	40x8 Dry Bulk, Pressurized, Tipping Disch 2.65 Bar
40GP	40x8 general purpose, non-vented
4122	40x8 Heated
40S0	40x8 Livestock Carrier
4125	40x8 Livestock Carrier
40V4	40x8 Mechanical Ventilated, External
4115	40x8 Mechanical Ventilated, Internal
40V2	40x8 Mechanical Ventilated, Internal
4103	40x8 Non-Vented 1 Open, plus Roof
40G2	40x8 Non-Vented Full Open Both Sides
4101	40x8 Non-Vented Full Open Both Sides
4104	40x8 Non-Vented Open Roof, 1/Both Sides
40G3	40x8 Non-Vented Part Open 1/Both Sides
4102	40x8 Non-Vented Part Open 1/Both Sides
40G0	40x8 Non-Vented, Open 1/Both Ends
4100	40x8 Non-Vented, Open 1/Both Ends
40UT	40x8 Open Top Container
40U0	40x8 Open Top Container, Open 1/Both
4150	40x8 Open Top Container, Open 1/Both
40U1	40x8 Open Top Remv Top Members
4151	40x8 Open Top Remv Top Members
40U2	40x8 Open Top, Open 1/Both Sides
4152	40x8 Open Top, Open 1/Both Sides
40U4	40x8 OT, Open 1 Side, Partial Open 1 Side
40U3	40x8 OT, Open 1/Both Sides, Remv Top members
4153	40x8 OT, Open 1/Both Sides, Remv Top members
40G1	40x8 Passive Vents
4110	40x8 Passive Vents
4111	40x8 Passive Vents, Non-Mechanical
40P0	40x8 Platform
4160	40x8 Platform
4166	40x8 Platform Comp Open Side w/Open top
4165	40x8 Platform Comp Open Side w/Roof
40P5	40x8 Platform Comp Open Top, Ends (skeletal)

4167	40x8 Platform Comp Open Top, Ends (skeletal)
40PC	40x8 Platform, Collapsible
40P4	40x8 Platform, Comp Free Standing Posts
4164	40x8 Platform, Comp Free Standing Posts
40P1	40x8 Platform, Complete Fixed Ends
4161	40x8 Platform, Complete Fixed Ends
40P3	40x8 Platform, Complete Folding Ends
4163	40x8 Platform, Complete Folding Ends
40PS	40x8 Platform, Complete Superstructure
40P2	40x8 Platform, Fixed Free Standing Posts
4162	40x8 Platform, Fixed Free Standing Posts
40PF	40x8 Platform, Fixed Structure
40PL	40x8 Platform, Incomplete Structure
40HI	40x8 Thermal Insulated
40H5	40x8 Thermal Insulated, K=0.4 W(m.K)
4120	40x8 Thermal Insulated, K=0.4 W(m.K)
40H6	40x8 Thermal Insulated, K=0.7 W(m.K)
4121	40x8 Thermal Insulated, K=0.7 W(m.K)
4140	40x8 Thermal Porthole Remv Ext Appl
4142	40x8 Thermal Porthole Remv Ext Appl
40H0	40x8 Thermal Porthole Remv Ext Appl, K=0.4 W(m.K)
40H2	40x8 Thermal Porthole Remv Ext Appl, K=0.7 W(m.K)
40H1	40x8 Thermal Porthole Remv Int Appl
4141	40x8 Thermal Porthole Remv Int Appl
40RE	40x8 Thermal Refrigerated
4130	40x8 Thermal Refrigerated
40RT	40x8 Thermal Refrigerated & Heated
4132	40x8 Thermal Refrigerated & Heated
40R0	40x8 Thermal, Mechanically Refrigerated
4131	40x8 Thermal, Mechanically Refrigerated
40R1	40x8 Thermal, Mechanically Refrigerated & Heated
40RS	40x8 Thermal, Self-Powered
40R3	40x8 Thermal, Self-Powered, Mech. Refrig. & Heated
40R2	40x8 Thermal, Self-Powered, Mech. Refrigerated
40V0	40x8 Ventilated, Upper and Lower Vents
4113	40x8 Ventilated, Upper and Lower Vents
4CU1	40x8.2x8.5 Pallet Wide Open Top
4CG1	40x8.2x8.5 Pallet Wide with Vents
4EU1	40x8.2x9.5 Pallet Wide High Cube OT
4ER1	40x8.2x9.5 Thermal, Pallet-Wide
42S1	40x8.5 Automobile Carrier
4326	40x8.5 Automobile Carrier
4380	40x8.5 Dry Bulk
42BU	40x8.5 Dry Bulk, Non-pressurized
42B1	40x8.5 Dry Bulk, Non-pressurized, Airtight
42B0	40x8.5 Dry Bulk, Non-pressurized, Closed
42BK	40x8.5 Dry Bulk, Pressurized
42B3	40x8.5 Dry Bulk, Pressurized, Horz Disch 1.5 Bar
42B4	40x8.5 Dry Bulk, Pressurized, Horz Disch 2.65 Bar
42B5	40x8.5 Dry Bulk, Pressurized, Tip Disch 1.5 Bar
42B6	40x8.5 Dry Bulk, Pressurized, Tip Disch 2.65 Bar
42GP	40x8.5 General Purpose, Non-Vented
4322	40x8.5 Heated
42S0	40x8.5 Livestock Carrier
4325	40x8.5 Livestock Carrier
42V4	40x8.5 Mechanical Ventilated, External
4315	40x8.5 Mechanical Ventilated, Internal

42V2	40x8.5 Mechanical Ventilated, Internal
4303	40x8.5 Non-Vented 1 Open, plus Roof
42G2	40x8.5 Non-Vented Full Open Both Sides
4301	40x8.5 Non-Vented Full Open Both Sides
4304	40x8.5 Non-Vented Open Roof, 1/Both Sides
42G3	40x8.5 Non-Vented Part Open 1/Both Sides
4302	40x8.5 Non-Vented Part Open 1/Both Sides
42G0	40x8.5 Non-Vented, Open 1/Both Ends
4300	40x8.5 Non-Vented, Open 1/Both Ends
42UT	40x8.5 Open Top Container
42U0	40x8.5 Open Top Container, Open 1/Both
4350	40x8.5 Open Top Container, Open 1/Both
42U1	40x8.5 Open Top Remv Top Members
4351	40x8.5 Open Top Remv Top Members
42U2	40x8.5 Open Top, Open 1/Both Sides
4352	40x8.5 Open Top, Open 1/Both Sides
42U4	40x8.5 OT, Open 1 Side, Partial Open 1 Side
42U3	40x8.5 OT, Open 1/Both Sides, Remv Top members
4353	40x8.5 OT, Open 1/Both Sides, Remv Top members
42G1	40x8.5 Passive Vents
4310	40x8.5 Passive Vents
4311	40x8.5 Passive Vents, Non-Mechanical
42P0	40x8.5 Platform
4360	40x8.5 Platform
4960	40x8.5 Platform
4366	40x8.5 Platform Comp Open Side w/Open top
4365	40x8.5 Platform Comp Open Side w/Roof
42P5	40x8.5 Platform Comp Open Top, Ends (skeletal)
4367	40x8.5 Platform Comp Open Top, Ends (skeletal)
42PC	40x8.5 Platform, Collapsible
42P4	40x8.5 Platform, Comp Free Standing Posts
4364	40x8.5 Platform, Comp Free Standing Posts
42P1	40x8.5 Platform, Complete Fixed Ends
4361	40x8.5 Platform, Complete Fixed Ends
42P3	40x8.5 Platform, Complete Folding Ends
4363	40x8.5 Platform, Complete Folding Ends
42PS	40x8.5 Platform, Complete Superstructure
42P2	40x8.5 Platform, Fixed Free Standing Posts
4362	40x8.5 Platform, Fixed Free Standing Posts
42PF	40x8.5 Platform, Fixed Structure
42PL	40x8.5 Platform, Incomplete Structure
42HI	40x8.5 Thermal Insulated
42H5	40x8.5 Thermal Insulated, $K=0.4$ W(m.K)
4320	40x8.5 Thermal Insulated, $K=0.4$ W(m.K)
42H6	40x8.5 Thermal Insulated, $K=0.7$ W(m.K)
4321	40x8.5 Thermal Insulated, $K=0.7$ W(m.K)
4340	40x8.5 Thermal Porthole Remv Ext Appl
4342	40x8.5 Thermal Porthole Remv Ext Appl
42H0	40x8.5 Thermal Porthole Remv Ext Appl, $K=0.4$ W(m.K)
42H2	40x8.5 Thermal Porthole Remv Ext Appl, $K=0.7$ W(m.K)
42H1	40x8.5 Thermal Porthole Remv Int Appl
4341	40x8.5 Thermal Porthole Remv Int Appl
42RE	40x8.5 Thermal Refrigerated
4330	40x8.5 Thermal Refrigerated
42RT	40x8.5 Thermal Refrigerated & Heated
4332	40x8.5 Thermal Refrigerated & Heated
42R0	40x8.5 Thermal, Mechanically Refrigerated

4331	40x8.5 Thermal, Mechanically Refrigerated
42R1	40x8.5 Thermal, Mechanically Refrigerated & Heated
42RS	40x8.5 Thermal, Self-powered
42R3	40x8.5 Thermal, Self-powered, Mech. Refrig. & Heated
42R2	40x8.5 Thermal, Self-powered, Mech. Refrigerated
42V0	40x8.5 Ventilated, Upper and Lower Vents
4313	40x8.5 Ventilated, Upper and Lower Vents
4EG1	40x8.9x9.5 High Cube with Vents
44G1	40x8x9 Container with Vents
45G1	40x8x9.5 Container with Vents
4500	40x9.5 Non-Vented
45G0	40x9.5 Non-Vented
4532	40x9.5 Refrigerated Heated
45RT	40x9.5 Thermal Refrigerated & Heated
45R1	40x9.5 Thermal, Mechanically Refrigerated & Heated
45RS	40x9.5 Thermal, Self-powered
45R3	40x9.5 Thermal, Self-powered, Mech. Refrig. & Heated
45R2	40x9.5 Thermal, Self-powered, Mech. Refrigerated
4510	40x9.5 Vented
45V0	40x9.5 Vented
L0GP	45x8 General Purpose, Non-Vented
L0VH	45x8 General Purpose, Ventilated
LLGP	45x8.5x >8.5w General Purpose, Non-Vented
LLVH	45x8.5x >8.5w General Purpose, Ventilated
LCGP	45x8.5x8.5w General Purpose, Non-Vented
LCVH	45x8.5x8.5w General Purpose, Ventilated
L2GP	45x8.5x8w General Purpose, Non-Vented
L2VH	45x8.5x8w General Purpose, Ventilated
9510	45x8x9.5 High Cube Container with Vents
L5G1	45x8x9.5 High Cube Container with Vents
LNGP	45x9.5x >8.5w General Purpose, Non-Vented
LNVH	45x9.5x >8.5w General Purpose, Ventilated
LEGP	45x9.5x8.5w General Purpose, Non-Vented
LEVH	45x9.5x8.5w General Purpose, Ventilated
L5GP	45x9.5x8w General Purpose, Non-Vented
L5VH	45x9.5x8w General Purpose, Ventilated
LMGP	45x9x >8.5w General Purpose, Non-Vented
LMVH	45x9x >8.5w General Purpose, Ventilated
LDGP	45x9x8.5w General Purpose, Non-Vented
LDVH	45x9x8.5w General Purpose, Ventilated
L4GP	45x9x8w General Purpose, Non-Vented
L4VH	45x9x8w General Purpose, Ventilated
MNG0	48.8.6x9.5 Container
MLGP	48x8.5x >8.5w General Purpose, Non-Vented
MLVH	48x8.5x >8.5w General Purpose, Ventilated
MCGP	48x8.5x8.5w General Purpose, Non-Vented
MCVH	48x8.5x8.5w General Purpose, Ventilated
M2GP	48x8.5x8w General Purpose, Non-Vented
M2VH	48x8.5x8w General Purpose, Ventilated
M5G0	48x8x9.5 Container
MNGP	48x9.5x >8.5w General Purpose, Non-Vented
MNVH	48x9.5x >8.5w General Purpose, Ventilated
MEGP	48x9.5x8.5w General Purpose, Non-Vented
MEVH	48x9.5x8.5w General Purpose, Ventilated
M5GP	48x9.5x8w General Purpose, Non-Vented
M5VH	48x9.5x8w General Purpose, Ventilated
MMGP	48x9x >8.5w General Purpose, Non-Vented



MMVH	48x9x >8.5w General Purpose, Ventilated
MDGP	48x9x8.5w General Purpose, Non-Vented
MDVH	48x9x8.5w General Purpose, Ventilated
M4GP	48x9x8w General Purpose, Non-Vented
M4VH	48x9x8w General Purpose, Ventilated
PNG0	53x8.5x9.5 Container
Z123	Chassis 20' - Flushback
Z124	Chassis 20' - Slider
Z161	Chassis 40' - Straight Frame
Z181	Chassis 40' Combo (8-pin)
Z171	Chassis 40'/48' Gooseneck
Z191	Chassis 40'-45'-48' Extendable
U278	Domestic Container - 48' x 102" x 9'6
U273	Domestic Container - 48' x 96" x 9'6
U288	Domestic Container - 53' x 102" x 9'6
20S2	Live Fish Carrier
22S2	Live fish carrier
40S2	Live fish carrier
42S2	Live fish carrier
Z201	Trailer - 40 x 13'6",0.0
Z256	Trailer - 45 x 102 x 13'6
Z276	Trailer - 48 x 102 x 13'6
Z301	Trailer - Flat Bed
Z756	Trailer - Insulated 45 x 102